

CERTIFICATE

(1) EC-Type Examination

(2) **Equipment and protective systems intended for use in potentially explosive atmospheres - Directive 94/9/EC**

(3) EC-Type Examination Certificate Number: **KEMA 02ATEX1296** Issue Number: **2**

(4) Equipment: **Stationary Gas Detector, Series Butox ST400EC, Buvox ST400EC and Bucom ST400EC**

(5) Manufacturer: **Buveco Gasdetection B.V.**

(6) Address: **Jan van der Heydenstraat 50, 2665 JA Bleiswijk, The Netherlands**

(7) This equipment and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) DEKRA Certification B.V., notified body number 0344 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the directive.

The examination and test results are recorded in confidential test report number 214992700/1.

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 60079-0 : 2009

EN 60079-11 : 2007

EN 60079-26: 2007

(10) If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the schedule to this certificate.

(11) This EC-Type Examination Certificate relates only to the design, examination and tests of the specified equipment according to the Directive 94/9/EC. Further requirements of the directive apply to the manufacturing process and supply of this equipment. These are not covered by this certificate.

(12) The marking of the equipment shall include the following:



II 1 G Ex ia IIC T5 Ga

This certificate is issued on March 14, 2012 and, as far as applicable, shall be revised before the date of cessation of presumption of conformity of (one of) the standards mentioned above as communicated in the Official Journal of the European Union.

DEKRA Certification B.V.

C.G. van Es
Certification Manager

Page 1/2

® Integral publication of this certificate and adjoining reports is allowed. This Certificate may only be reproduced in its entirety and without any change.



All testing, inspection, auditing and certification activities of the former KEMA Quality are an integral part of the DEKRA Certification Group

(13) **SCHEDULE**

(14) **to EC-Type Examination Certificate KEMA 02ATEX1296**

Issue No. 2

(15) **Description**

The stationary gas detector Series Butox ST400EC, Buvox ST400EC and Bucom ST400EC with electrochemical sensor is used for the detection of combustible and/or toxic gases (Butox ST400EC), oxygen (Buvox ST400EC) and hydrogen (Bucom ST400EC).
The output signal is a 4 to 20 mA current signal.

Ambient temperature range -40 °C to +60 °C.

Electrical data

Supply and output circuit (terminal K3 + and -):
in type of protection intrinsic safety Ex ia IIC, only for connection to a certified intrinsically safe circuit, with following maximum values:

$U_i = 28 \text{ V}$; $I_i = 93 \text{ mA}$; $P_i = 750 \text{ mW}$; $L_i = 1 \text{ mH}$; $C_i = 30 \text{ nF}$.

Installation instructions

The instructions provided with the equipment shall be followed in detail to assure safe operation.

(16) **Test Report**

No. 214992700/1.

(17) **Special conditions for safe use**

None.

(18) **Essential Health and Safety Requirements**

Covered by the standards listed at (9).

(19) **Test documentation**

As listed in Test Report No. 214992700/1.